

# SQFlex helical pump

## End-of-Life Information

Grundfos SQFlex Helical pump must be disposed of according to local regulations by using a public or private waste collection service. If this is not possible, contact the nearest Grundfos company or service workshop.

## Safety Risk

Safety related to materials used

- There is no risk for people during the disassembly process posed by the materials used in the product.
- Be sure that the SQFlex helical pump is clean and empty for liquid before disassembly.

Safety related to handling the product

- Care should be taken when handling the pump/components due to the weight.

## Disassembly of the Product

The main materials of the components are:

- Stainless steel
- EPDM rubber
- Polyamide composite

SQFlex helical pump can therefore be recycled to a large extent – depending on the national possibilities for recycling. To disassemble a SQFlex helical pump you need special tools, please see the SQFlex service instruction.

Designation	Name	Material	Special Disassembly Consideration
1	Valve Casing	Stainless steel	
2	Discharge chamber	Polyamide	
3	Flange	Stainless steel	
4	Pump stator	Stainless steel/EPDM	
5	Outer sleeve	Stainless steel	
6	Rotor	Stainless steel/Chrome	
7	Torsion shaft	Stainless steel	
8	Sand slinger	NBR	
9	Cable guard	Stainless steel	
<b>Additional materials:</b>		Screws, etc.: Various materials less than 5% of weight.	

